

1/19/1 DIALOG(R)File 352:Derwent WPI (c) 2002 Thomson Derwent. All rts. reserv.
012555424

WPI Acc No: 1999-361530/199931

XRAM Acc No: C99-107063

XRPX Acc No: N99-269548

Photosensitive resin composition for a photosensitive
elements - comprises a carboxyl-containing binder polymer, a
photopolymerisation initiator, and a photopolymerisable unsaturated
compound having polymerisable ethylene unsaturated bond(s) in its
molecule

Patent Assignee: HITACHI CHEM CO LTD (HITB)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
JP 11133595	A	19990521	JP 97294510	A	19971027	199931 B

Priority Applications (No Type Date): JP 97294510 A 19971027

Patent Details:

Patent No	Kind	Lan Pg	Main IPC	Filing Notes
JP 11133595	A	7	G03F-007/027	

Abstract (Basic): JP 11133595 A

A photosensitive resin composition comprises: (A) a binder polymer
which has a carboxyl group; (B) a photopolymerisation initiator; and
(C) a photopolymerisable unsaturated compound which has at least one
polymerisable ethylene unsaturated bond in its molecule. (C) the
compound contains an ethylene unsaturated compound of formula
 $\text{CH}_3\text{CH}_2\text{-C}(\text{CH}_2\text{-O-(A-O)}_{m1}\text{-(B-O)}_{n1}\text{-C(=O)-C(R1)=CH}_2)(\text{CH}_2\text{-O-(A-O)}_{m3}\text{-(B-O)}_{n3}\text{-C}$
 $\text{(=O)-C(R3)=CH}_2)\text{-CH}_2\text{-O-(A-O)}_{m2}\text{-(B-O)}_{n2}\text{-C(=O)-C(R2)=CH}_2$ (I); where R1,
R2, R3 = H or CH3. They may be the same or different; A, B =
-CH(CH3)CH2-, -CH2CH(CH3)-, or -CH2CH2-; A and B are different; m1, m2,
m3, n1, n2, n3 = a positive integer, where m1 + m2 + m3 = 6 to 45; n1 +
n2 + n3 = 3 to 45.

ADVANTAGE - This photosensitive resin composition has excellent
anti-plating and peel-off properties.

Dwg.0/0

Title Terms: PHOTOSENSITISER; RESIN; COMPOSITION; PHOTOSENSITISER;
ELEMENT;

COMPRISE; CARBOXYL; CONTAIN; BIND; POLYMER; PHOTOPOLYMERISE;
INITIATE;